

Republic of the Philippines Department of Education

REGION XII

SCHOOLS DIVISION OF SOUTH COTABATO

Date:

March 20, 2023

RFO No .:

DSC-23-03-034

Mode of Procurement: NP-SVP

Request for Quotation (RFQ)

I. Please quote your lowest price inclusive of VAT on the item(s) listed below, subject to the Terms and Conditions of this RFQ. Sealed quotations with documentary requirements must be submitted not later than 10:00 a.m of _____ at Bids and Awards Committee Office (BAC), DepEd-Schools Division of South Cotabato, Alunan Avenue, Koronadal City. Quotation that exceeds the approved budget for the contract (ABC) (per item/per lot) shall be rejected. Evaluation and award shall be done on a (per item/per lot) basis. For more information please call us at Telephone Nos.: (083) 228-9224, c/o Mr. Rodel H. Catubay, BAC-Secretariat Head. Prospective supplier shall be responsible to verify herein items from DepEd.-So. Cot. Division, Property and Supply Unit c/o Mr. Ray O. Lloren, Administrative Officer IV - Supply Officer at Telephone No. (083) 228-5269.

BAC Chairperson

Instructions:

- 1. Accomplish this RFQ correctly and accurately. Entries must be written legibly.
- 2. Do not alter the contents of this form in any way.
- 3. All bids and attached documents shall be in a sealed envelope.
- 4. Failure to follow these instructions wil disqualify your entire quotation.

II. Particulars

Lot No.	Item Description / Technical Specification	Approved Budget for the Contract (ABC) in Php.	Quantity	Unit of Issue	Unit price	Brand/ Model	TOTAL PRICE in Pesos (Qty x Unit Price)
1	Supply and Delivery of IT Devices for Maintenance and Troubleshooting of DepEd Computerization Program in the ICT Unit of Division Office	73,250.00	1	Lot			
	Gateway (Unified Security Gateway)	20,000.00	1	Unit			
-	Specifications:						
	Hardware Specification						
	CPU Multi-core MIPS						
	Fixed Ports 8 1000BASE-T ports (7x POE/POE+)						
	WAN Ports Upto 2						
	Flash 4GB EMMC		, , , , , , , , , , , , , , , , , , , ,				
	Hard Disk N/A						
	Memory 512M					1	
	Performance & Feature	4					
	Performance 1000Mbps (1518 bytes)						
	450Mbps (512bytes)						
	70Mbps (64 bytes)						
	Concurrent Session 100,000						

Windows-based AD/LDAP Integration)						
One-click Authentication;						
Guest Voucher (Ruijie Cloud required);						
Seamless Authentication (Portal) Support						
App Caching Support						
Cache Capacity 750MB						
required)						
ICMP, TCP, UDP, etc.						
RIP (V1 / V2) and OSPF						
Support DHCP Relay and DHCP Server					ļ	
Support PPPoE Client						
DNS, etc.						
Support ARP, trusted ARP, proxy ARP, etc. Support Ping and Traceroute fault detection		 	 			
applications / more than 120 application features,					 	
P2P: BitTorrent, eMule, Thunder, EDONKEY, FlashGet & etc.			 		 	<u> </u>
etc.		 				
		 	 	ļ		
Social Media: Facebook, Twitter, LinkedIn, Pinterest & etc. Messenger & etc.			 	 	 	
Instant Messaging/Email: Gmail, MSN, QQ, YAHOO & etc.			 			
Software Update: Window, McAfee, Kaspersky, ESET & etc.		-	 	-	-	
OneDrive, iCloud & etc.			 		-	
Telnet, LOTUS-NOTES, SQL Server, Oracle, Mysql, HTTPS &		 	 		 	
URL Filtering Support custom URLs	**************************************	 	 		 	
Support remote HTTP automatic URL library upgrade			†	 	 	
Local log storage (NAT log, traffic log, URL log, etc.)		 	 		 	
Support storage on external log server		 	 		-	
WAN Load Balancing Support (upto 2 WAN Port)			<u> </u>			
IPsec VPN Tunnel 16		1	 		 	
Network Security Anti-ARP Spoofing		 	 			
networks	7	 				
Support secure address binding		†	 			
Block WAN Ping	en et en		†			
Prevent Port Scan Attack						
Prevent Fragmentation Attack			 			
			 			
Prevent ICMP Flood Attack			1			1
Prevent ICMP Flood Attack Prevent Teardrop Attack		ļ	 		<u> </u>	
Prevent Teardrop Attack						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack						
Prevent Teardrop Attack Prevent Ping of Death Attack						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc.						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U Weight 2KG						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U Weight 2KG Power Supply 100-240V~,50-60Hz,3A						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U Weight 2KG Power Supply 100-240V~,50-60Hz,3A PoE Budget 135W						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U Weight 2KG Power Supply 100-240V~,50-60Hz,3A PoE Budget 135W Power Consumption <150W						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U Weight 2KG Power Supply 100-240V~,50-60Hz,3A PoE Budget 135W Power Consumption <150W Dimensions (W x D x H) (mm) 200×200x43.6						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U Weight 2KG Power Supply 100-240V~,50-60Hz,3A PoE Budget 135W Power Consumption <150W Dimensions (W x D x H) (mm) 200×200x43.6 Operating Temperature 0°C to 45°C Operating Humidity 10% to 90%RH						
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U Weight 2KG Power Supply 100-240V~,50-60Hz,3A PoE Budget 135W Power Consumption <150W Dimensions (W x D x H) (mm) 200×200x43.6 Operating Temperature 0°C to 45°C Operating Humidity 10% to 90%RH Internal Solid State Disk Hard Drive SATA3	5,325.00	10	pc			
Prevent Teardrop Attack Prevent Ping of Death Attack Prevent Land Attack Prevent Smurf / Fraggle attack Prevent SYN Flood Attack monitoring status backup Support Top 10 Application/User traffic visualization Support device firmware management Support event-based alarm notification multiple authentication modes Other Features Service and Support Support push advertising page Support multi-link load balancing software version, etc. Lifetime Free signature library upgrade Rack Height 1U Weight 2KG Power Supply 100-240V~,50-60Hz,3A PoE Budget 135W Power Consumption <150W Dimensions (W x D x H) (mm) 200×200x43.6 Operating Temperature 0°C to 45°C Operating Humidity 10% to 90%RH	5,325.00	10	pc			

Terms and Conditions:

- 1. Delivery Period: Ten (10) Calendar days from Supplier's receipt of NTP
- 2. Delivery Site: Supply Office, DepEd-Schools Division of South Cotabato, Alunan Ave., Koronadal City
- 3. Price Validity: 120 days from submission of quotation
- 4. Warranty: 6 months for supplies & materials; 1 year for equipment, from the date of acceptance by the procuring entity.
- 5. Payment Term: 15 Days
- 6. Price is inclusive of all costs and applicable taxes.

Supplier's Business Name:	PhilGEPS Reg. no					
Address:						
Tel. No.:Fax No.:	E-Mail	Vat	Non-Vat_			
Supplier's signature over printed name:		Date				
Canvasser:						
NOTE: Please attach the following eligibility re1 PhilGeps Registration No.:		submission of quotat Yax Exemption (for Coope				
2 Mayor's Permit/Business Permit	7 Certificate of Compliance/Good Standing (for Cooperatives)					
	8 Omnibus Sworn Statement (for lowest bidder for NP-SVI with ABCs above 50k and Emergency Cases with ABCs above 500k)					
4 500K)						