# **PHILIPPINE BIDDING DOCUMENTS**

# Supply and Delivery of Learning Resources Supplies and Equipment for the Development of Radio-Based Lessons, Video Lessons, Interactive and Print Materials (Rebid) (Ref. No. DSC-23-08-098)

Government of the Republic of the Philippines

Sixth Edition July 2020

## Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **Table of Contents**

Glossary of A	cronyms, Terms, and Abbreviations	4
Section I. Inv	-	7
	structions to Bidders	16
-	be of Bid	17
	ling Information	17
	ling Requirements	17
the general duration an	by the act of submitting its Bid, shall be deemed to have verified and requirements of this Project, including other factors that may affect d execution or implementation of the contract, project, or work and ex s, forms, terms, and project requirements in the Bidding Documents.	the cost,
4. Com	upt, Fraudulent, Collusive, and Coercive Practices	17
5. Elig	ible Bidders	17
6. Orig	in of Goods	18
7. Subo	contracts	18
8. Pre-	Bid Conference	19
9. Clar	ification and Amendment of Bidding Documents	19
10. Doc	uments comprising the Bid: Eligibility and Technical Components	19
11. Doc	uments comprising the Bid: Financial Component	20
12. Bid	Prices	20
13. Bid	and Payment Currencies	21
14. Bid	Security	21
15. Seal	ing and Marking of Bids	22
16. Dea	dline for Submission of Bids	22
17. Ope	ning and Preliminary Examination of Bids	22
18. Don	nestic Preference	23
19. Deta	iled Evaluation and Comparison of Bids	23
20. Post	-Qualification	24
21. Sign	ing of the Contract	24
Section III. B	id Data Sheet	26
Section IV. G	eneral Conditions of Contract	28
1. Scop	be of Contract	29
2. Adv	ance Payment and Terms of Payment	29
3. Perf	ormance Security	29
4. Insp	ection and Tests	30
5. War	ranty	30
6. Liab	ility of the Supplier	30
Section V. Sp	ecial Conditions of Contract	31
Section VI. Section VI.	chedule of Requirements	36

Section VIII. Checklist of Technical and Financial Documents	46
Bid Form for the Procurement of Goods	58
BID FORM	58

## Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA -** Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

NGA – National Government Agency.

**PhilGEPS -** Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

### Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



### Republic of the Philippines Department of Education

REGION XII SCHOOLS DIVISION OF SOUTH COTABATO City of Koronadal

## **INVITATION TO BID**

FOR

## Supply and Delivery of Learning Resources Supplies and Equipment for the Development of Radio-Based Lessons, Video Lessons, Interactive and Print Materials (Rebid)

The DepEd-Schools Division of South Cotabato, through the General Appropriations Act (GAA) FY 2023 intends to apply the sum of Two Million One Hundred Ninety-Five Thousand Nine Hundred Fifty Pesos (Php 2,195,950.00) being the ABC to payments under the contract for Supply and Delivery of Learning Resources Supplies and Equipment for the Development of Radio-Based Lessons, Video Lessons, Interactive and Print Materials (Rebid) (Ref. No. DSC-23-08-098) 1 Lot. Bids received in excess of the ABC shall be automatically rejected at bid opening.

Lot No.		Description		ABC
1 Lot	Supplies a Radio-Ba	nd Delivery of Learning Res and Equipment for the Deve sed Lessons, Video Lessons Materials (Rebid)	elopment of	PhP 2,195,950.00
	UoM	Description	Quantity	
	Unit	Graphic Tablet Specifications: • 18.77 x 10.56" Active Area or higher • 22" Full HD 1920 x 1080 IPS Display • 250 cd/m <sup>2</sup> Brightness • 178° Viewing Angles • 1200:1 Contrast Ratio • 16.7 Million Colors or higher • Stylus with 8192	30	

	Dues see 1	<u>г г</u>	
	Pressure Levels		
	• USB Type-C Video Interface		
	Laptop		
	Specifications:		
	• Processor: 8M Cache,		
	up to 4.2 GHz, 4 cores		
	• Memory: 8GB DDR4 on		
	board, 16GB, Memory		
	Max Up to 16GB		
	• Monitor: 14.06" FHD		
	• Resolution: FHD 1920		
	x 1080 16:9, TN Anti-		
	glare display, LED		
	Backlit, 220nits		
	• Weight: 1.50 Kg		
	• Storage: 256GB + 1TB		
	54R+FTPM		
	-		
	• Audio: Built-in		
	Speaker, 3.5mm Audio		
	Jack		
	• Camera: 720p HD		
	• Connectivity: Wi-Fi		
	5(802.11ac) (Dual		
Unit	Band) 2*2 + Bluetooth	17	
	5.1 Wireless Card		
	• Ports: 1 x 3.5mm		
	Combo Audio Jack, 1 x		
	USB 3.2 Gen 1 Type-C,		
	2 x USB 2.0 Type-A, 1		
	x DC-in, 1 Micro SD		
	Card Reader + SIM		
	Card Slot		
	• Keyboard: Chiclet		
	Keyboard, 1.4mm Key-		
	travel		
	• OS: Windows 11 Pro		
	64Bit		
	Inclusion:		
	• Microsoft Office Apps		
	(Word, Excel,		
	PowerPoint)		
	• Charger		
	Mouse		
	Bag Portable Speaker		
	• Amplifier – 2.1		
	Channels or more 200		
Unit	Watts RMS	2	
	• Connections – USB,	2	
	Bluetooth (ver. 5.1), 2		
	or more Microphone		
			1

	• Playable File Format –		
	MP3, WMA		
	• Battery – Capacity of		
	88Wh, Charging Time		
	of 3.5Hr and with Life		
	of 18Hrs		
	With Telescopic Handle		
	and Wheels		
	Video Camera		
	Effective Pixels: 24.2MP		
	ISO Min: 100		
	ISO Max: 12800		
	Image Format: JPEG		
	RAW		
	Sensor Type: CMOS		
	Sensor Size: 23.2 x		
	15.4mm		
Unit		2	
Unit	Video Res.: Full HD	2	
	Video Format: MPEG-4,		
	H.264		
	Shutter: 1/4000s		
	Auto Focus		
	Lens Mount: F		
	Touch Screen		
	Viewfinder: Optical		
	Connectivity: Bluetooth,		
	HDMI, USB, NFC, Wi-Fi		
	Lapel Wireless		
	-		
	Microphone for DSLR		
	<b>Microphone for DSLR</b> Communication System:		
	<b>Microphone for DSLR</b> Communication System: Bluetooth Standard Ver.		
	<b>Microphone for DSLR</b> Communication System: Bluetooth Standard Ver. 3.0		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes		
	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing		
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function,	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function,	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone,	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone, stereo input via External	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone Audio Interface:	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone Audio Interface: Stereo/dual-mono audio	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone Audio Interface: Stereo/dual-mono audio codec, analogue audio	5	
Unit	Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone Audio Interface: Stereo/dual-mono audio	5	

Unit	HeavyDutyVideoCamcorderAluminumAlloy tripod with FluidDragHeadforDSLR/SLR CameraAdjustableHeight:AdjustableHeight:80160 cm (black)TripodMaterial:aluminum alloyBowl Diameter:Bowl Diameter:75mmFold Height:800mmUnfoldingHeight:160mmLoad:Load:10kgGimbal Type:Hydraulicdamping gimbal headNo. of Tripod Sections:No. of Trube Diameter:14-18mm	2	
Unit	Video Tripod Kit 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2- stage tripod with mid- level spreader, Independent Twist- Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrving Case	2	
Piece	SD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN- class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y	12	
Unit	A3 Tank PrinterPrinter Type:Printer Type:Print, Scan,Copy, Fax with ADFPrinting Technology:PrintDirection:Bi-directional printingNozzleConfiguration:800x 1 nozzles Black, 256 x 1nozzles per colour (Cyan,Magenta, Yellow)MaximumResolution:4800 x 2400 dpiAutomatic2-sidedPrinting:Yes (up to A3)	3	

Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " *1:Approx. 43 sec per photo (Border) / 52 sec per photo (Borderless)*2 Draft, A4 (Black / Colour):Up to 32.0 ppm / 22.0 ppm *2 ISO 24734, A4 Simplex (Black / Colour):Up to 25.0 ipm / 12.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5 ipm / 6.0 ipm *2	
<pre>/ 4 x 6 " *1:Approx. 43 sec per photo (Border) / 52 sec per photo (Borderless)*2 Draft, A4 (Black / Colour):Up to 32.0 ppm / 22.0 ppm *2 ISO 24734, A4 Simplex (Black / Colour):Up to 25.0 ipm / 12.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5</pre>	
per photo (Border) / 52 sec per photo (Borderless)*2 Draft, A4 (Black / Colour):Up to 32.0 ppm / 22.0 ppm *2 ISO 24734, A4 Simplex (Black / Colour):Up to 25.0 ipm / 12.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
per photo (Borderless)*2         Draft, A4 (Black /         Colour):Up to 32.0 ppm /         22.0 ppm *2         ISO 24734, A4 Simplex         (Black / Colour):Up to 25.0         ipm / 12.0 ipm *2         ISO 24734, A4 Duplex         (Black / Colour):Up to 16.0         ipm / 9.0 ipm *2         ISO 24734, A3 Simplex         (Black / Colour):Up to 13.5	
Draft, A4 (Black /         Colour):Up to 32.0 ppm /         22.0 ppm *2         ISO 24734, A4 Simplex         (Black / Colour):Up to 25.0         ipm / 12.0 ipm *2         ISO 24734, A4 Duplex         (Black / Colour):Up to 16.0         ipm / 9.0 ipm *2         ISO 24734, A3 Simplex         (Black / Colour):Up to 13.5	
Colour):Up to 32.0 ppm / 22.0 ppm *2 ISO 24734, A4 Simplex (Black / Colour):Up to 25.0 ipm / 12.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
22.0 ppm *2 ISO 24734, A4 Simplex (Black / Colour):Up to 25.0 ipm / 12.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
22.0 ppm *2 ISO 24734, A4 Simplex (Black / Colour):Up to 25.0 ipm / 12.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
ISO 24734, A4 Simplex (Black / Colour):Up to 25.0 ipm / 12.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
(Black / Colour):Up to 25.0         ipm / 12.0 ipm *2         ISO 24734, A4 Duplex         (Black / Colour):Up to 16.0         ipm / 9.0 ipm *2         ISO 24734, A3 Simplex         (Black / Colour):Up to 13.5	
ipm / 12.0 ipm *2 ISO 24734, A4 Duplex (Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
ISO         24734, A4         Duplex           (Black / Colour):Up to 16.0         ipm / 9.0 ipm *2           ISO         24734, A3         Simplex           (Black / Colour):Up to 13.5         13.5	
(Black / Colour):Up to 16.0 ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
ipm / 9.0 ipm *2 ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
ISO 24734, A3 Simplex (Black / Colour):Up to 13.5	
(Black / Colour):Up to 13.5	
$1 \text{ ipm} / 6.0 \text{ ipm}^{*2}$	
ISO 24734, A3 Duplex	
(Black / Colour):Up to 10.0	
ipm / 5.0 ipm *2	
Copy Function:	
Reduction /	
Enlargement:25 - 400%	
Maximum Copy Size:A3	
Copy Resolution:600 x 600	
Max Copies:999 copies	
ADF Specifications:	
Support Paper	
<b>Thickness:</b> $64-95 \text{ g/m}^2$	
Paper Capacity:50 sheets	
Paper Handling:	
Number of Paper Trays:3	
(Front 2, Rear 1)	
Standard Paper Input	
Capacity:Cassette 1: 250	
sheets for A4 Plain paper	
$(80g/m^2)$	
50 sheets for Premium	
Glossy Photo Paper	
Cassette 2: 250 sheets for	
A4 Plain paper (80 g/m <sup>2</sup> )	
Rear Slot: 50 sheets for A4	
Plain paper (80 g/m <sup>2</sup> ), 20	
sheets for Premium Glossy	
Photo Paper	
Output Capacity:125	
sheets for A4 Plain paper (80	
$g/m^2$ , 20 sheets for	
Paper	
Maximum Paper Size:329 x	
6000 mm	
Paper Sizes:A3, Super B (13	
x 19"), Indian Legal, Letter,	
A4, 16K (195 x 270mm), 8K	
(270 x 390mm), Executive	
(7.25 x 10.5"), B4, B5, A5,	
B6, A6, 8.5 x 13", 5 x 7", 4 x	
6", 8 x 10", Legal (8.5 x 14"),	
16:9 wide, Envelopes: #10,	
DL, C6, C4	
Paper Feed	
Method:Friction feed	

	Print Margin:3mm top, left, right, bottom via custom settings in printer driver Supported OS and Applications: Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server 2003 / 2008 / 2012 / 2016 / 2019 Mac OS X 10.6.8 or later Interface: USB:USB 2.0 Network:Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct Network Protocol:TCP/IPv4, TCP/IPv6 Network Management Protocols:SNMP, HTTP,		
	Network Management Protocols:SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD		
Ream	A3 Book Paper 80 gsm Substance 24	30	
Piece	<b>1TB External Storage</b> <b>Device</b> with shock- absorbing silicon case	35	
Cartridge	Brother LC462BK Ink	100	
Cartridge	Brother LC462C Ink	20	
Cartridge	Brother LC462Y Ink	20	
Cartridge	Brother LC462M Ink	20	
Piece	Heavy Duty Long Arm Stapler #35, 24/6-26/6 Loading Cap.: 100	10	

- 1. The *DepEd-Schools Division of South Cotabato* now invites bids for the above Procurement Project. Delivery of the Goods is required *thirty (30) calendar days from the receipt of Notice to Proceed*. Bidders should have completed, within **three** (3) *years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 2. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 3. Prospective Bidders may obtain further information from *BAC Secretariat Office*, *DepEd-Schools Division of South Cotabato, Alunan Avenue, Koronadal City* and inspect the Bidding Documents at the address given below during Mondays to Fridays, 8:00am to 5:00pm.
- 4. A complete set of Bidding Documents may be acquired by interested Bidders on *September 8, 2023 to October 2, 2023* from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (P5,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees to BAC Office, DepEd–Schools Division of South Cotabato.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 5. The *DepEd-Schools Division of South Cotabato* will hold a Pre-Bid Conference<sup>1</sup> on *September 18, 2023, 10:00 AM* at *BAC Office, Schools Division of South Cotabato, Alunan Ave., Koronadal City* and/or through video conferencing or webcasting *via Google Meet or Zoom*, which shall be open to prospective bidders
- 6. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below, (ii) online or electronic submission as indicated below, or (iii) both on or before *October 2, 2023, 10:00 AM*. Late bids shall not be accepted.
- 7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 8. Bid opening shall be on *October 2, 2023, 10:00 AM* at the given address below Bids and Awards Committee Office, DepEd Schools Division of South Cotabato, Alunan Avenue, Koronadal City and/or via Google Meet or Zoom. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 9. The *DepEd-Schools Division of South Cotabato* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 10. For further information, please refer to:

#### **RODEL H. CATUBAY**

BAC Secretariat Head DepEd-Schools Division of South Cotabato Alunan Avenue, Koronadal City Tel.no. 083 228 9224 Email address: bac.southcotabato@deped.gov.ph

<sup>&</sup>lt;sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

11. You may visit the following websites:

For downloading of Bidding Documents: <u>http://depedsouthcotabato.org/invitation-to-bid/</u>'

For online bid submission: email address: <u>bac.southcotabato@deped.gov.ph</u>



### Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, **DepEd-Schools Division of South Cotabato** wishes to receive Bids for the **Supply and Delivery of Learning Resources Supplies and Equipment for the Development of Radio-Based Lessons, Video Lessons, Interactive and Print Materials** (**Rebid**), with identification number *DSC-23-08-098*.

The Procurement Project (referred to herein as "Project") is composed of *one (1) lot*, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *GAA 2023* in the amount of *Two Million One Hundred Ninety-Five Thousand Nine Hundred Fifty Pesos (Php 2,195,950.00).*
- 2.2. The source of funding is:
  - a. NGA, the National Expenditure Program. SUB-ARO NO. DEPED-12-23-293

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2.
- a. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
  - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
    - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project; and
    - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

#### [Select one, delete other/s]

a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed twenty percent (20%) of the contracted Goods.

#### b. Subcontracting is not allowed.

- 7.2. *[If Procuring Entity has determined that subcontracting is allowed during the bidding, state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on September 18, 2023. 10:00 A.M at BAC Office, DepEd, School Division of South Cotabto, Alunan Ave., Koronadal City and/or through videoconferencing/webcasting via Google Meet or Zoom as indicated in paragraph 6 of the IB.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).

- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *[state relevant period as provided in paragraph 2 of the IB]* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authenticated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. *[Include if Framework Agreement will be used:]* Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes of determining eligibility and whether or not such financial proposal is within the ABC.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in the **BDS.**
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in the **BDS**.
- 12.2. *[Include if Framework Agreement will be used:]* For Framework Agreement, the following should also apply in addition to Clause 12.1:
  - a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
  - b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price quoted during mini-competition must not exceed the initial price offer. The price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *120 days*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. [Include if Framework Agreement will be used:] In the case of Framework Agreement, other than the grounds for forfeiture under the 2016 revised IRR, the bid security may also be forfeited if the successful bidder fails to sign the Framework Agreement, or fails to furnish the performance security or performance securing declaration. Without prejudice on its forfeiture, bid securities shall be returned only after the posting of performance security or performance securing declaration, as the case may be, by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### **16.** Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.
- 16.2. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, the submission of bids shall be for the initial evaluation of their technical and financial eligibility. Thereafter, those declared eligible during the said initial eligibility evaluation and entered into a Framework Agreement with the Procuring Entity shall submit anew their best financial offer at the address and on or before the date and time indicated in the Call for each mini-competition.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present

 $<sup>^{2}</sup>$  In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

#### **19. Detailed Evaluation and Comparison of Bids**

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

[Include the following options if Framework Agreement will be used:]

- a. In the case of single-year Framework Agreement, the Lowest Calculated Bid shall be determined outright after the detailed evaluation;
- b. For multi-year Framework Agreement, the determination of the eligibility and the compliance of bidders with the technical and financial aspects of the projects shall be initially made by the BAC, in accordance with Item 7.4.2 of the Guidelines on the Use of Framework Agreement.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

- 20.1. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HoPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, {[Include if Framework Agreement will be used:] or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found to be technically and financially compliant,}the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**. {[Include if Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.]

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

#### [Include the following clauses if Framework Agreement will be used:]

21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.

- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
  - a. Framework Agreement Form;
  - b. Bidding Documents;
  - c. Call-offs;
  - d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
  - e. Performance Security or Performance Securing Declaration, as the case may be;
  - f. Notice to Execute Framework Agreement; and
  - g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

# Section III. Bid Data Sheet

### Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

## **Bid Data Sheet**

ITB	
Clause 5.3	For this purpose, contracts similar to the Project shall be:
	a) Supply and Delivery of Learning Resources Supplies and Equipment for the Development of Radio-Based Lessons, Video Lessons, Interactive and Print Materials (Rebid)
	b) completed within <i>three (3) years</i> prior to the deadline for the submission and receipt of bids.
7.1	Not Applicable.
12	The price of the Goods shall be quoted DDP <i>within the Philippines</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <i>Forty-Three Thousand Nine Hundred</i> <i>Nineteen Pesos (Php 43,919.00)</i> [(2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <b>One Hundred Nine Thousand Seven</b> <b>Hundred Ninety Seven Pesos and Fifty Centavos (Php 109,797.50)</b> [ (5%) of ABC] if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	Supply and Delivery of Learning Resources Supplies and Equipment for the Development of Radio-Based Lessons, Video Lessons, Interactive and Print Materials (Rebid) 1 lot
	ABC: P 2,195,950.00
20.2	Not Applicable
21.2	Not applicable.

### Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### [Include the following clauses if Framework Agreement will be used:]

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

#### **3. Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.*{[Include if Framework Agreement will be used:] In the case of* Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.*}* 

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:]* or Framework Agreement*]* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

### Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

#### GCC Clause 1 [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents –** For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered to DepEd, Schools Division Office of South Cotabato, Alunan Avenue, Koronadal City. In accordance with INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered DepEd, Schools Division Office of South Cotabato, Alunan Avenue, Koronadal City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is Ms. Nelida A. Castillo/Mr. Ray O. Lloren. Incidental Services – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: *Select appropriate requirements and delete the rest.* performance or supervision of on-site assembly and/or start-up of a. the supplied Goods; furnishing of tools required for assembly and/or maintenance of the b. supplied Goods; furnishing of a detailed operations and maintenance manual for each c. appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the d. supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

## **Special Conditions of Contract**

<ul> <li>e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> <li>f. [Specify additional incidental service requirements, as needed.]</li> </ul>
The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
Spare Parts –
The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
Select appropriate requirements and delete the rest.
<ol> <li>such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ol>
2. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in <b>Section VI</b> (Schedule of Requirements) and the costs thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].
Spare parts or components shall be supplied as promptly as possible, but in any case, within [ <i>insert appropriate time period</i> ] months of placing the order.

Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
Transportation –
Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic
	Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the <b>SCC</b> .
4	The inspections and tests that will be conducted are: BAC Inspectorates

## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot No.	UoM	Description	Qua	Unit Cost	Total	Delivered Weeks/
100	CON	Description	ntity		I otai	Monthly
1	Lot	Supply and Delivery of Learning Resources Supplies and Equipment for the Development of Radio- Based Lessons, Video Lessons, Interactive and Print Materials (Rebid)	1		P 2,195,950.00	30 Calendar days
Unit	Specific • 18.77 higher • 22" F Display • 250 c • 178° • 1200 • 16.7 • Stylu Levels	<b>tic Tablet</b> cations: 7 x 10.56" Active Area or cull HD 1920 x 1080 IPS y cd/m <sup>2</sup> Brightness Viewing Angles :1 Contrast Ratio Million Colors or higher s with 8192 Pressure Type-C Video Interface	30	25,000.00	750,000.00	
Unit	<ul> <li>Proceeding</li> <li>GHz,</li> <li>Memory</li> <li>16GE</li> <li>16GE</li> <li>Monii</li> <li>Resolition</li> <li>Resolition</li> <li>Resolition</li> <li>Resolition</li> <li>Resolition</li> <li>Weigle</li> <li>Stora</li> <li>Stora</li> <li>54R+</li> <li>Audio</li> <li>Came</li> <li>Conna</li> <li>(Dual)</li> </ul>	cations: essor: 8M Cache, up to 4.2 4 cores ory: 8GB DDR4 on board, 3, Memory Max Up to	17	46,000.00	782,000.00	

	<ul> <li>Ports: 1 x 3.5mm Combo Audio Jack, 1 x USB 3.2 Gen 1 Type- C, 2 x USB 2.0 Type-A, 1 x DC- in, 1 Micro SD Card Reader + SIM Card Slot</li> <li>Keyboard: Chiclet Keyboard, 1.4mm Key-travel</li> <li>OS: Windows 11 Pro 64Bit</li> <li>Inclusion:</li> <li>Microsoft Office Apps (Word, Excel, PowerPoint)</li> <li>Charger</li> <li>Mouse Bag</li> </ul>				
Unit	<ul> <li>Portable Speaker</li> <li>Amplifier – 2.1 Channels or more 200 Watts RMS</li> <li>Connections – USB, Bluetooth (ver. 5.1), 2 or more Microphone Input (6.3mm)</li> <li>Playable File Format – MP3, WMA</li> <li>Battery – Capacity of 88Wh, Charging Time of 3.5Hr and with Life of 18Hrs</li> <li>With Telescopic Handle and Wheels</li> </ul>	2	32,000.00	64,000.00	
Unit	Video Camera Effective Pixels: 24.2MP ISO Min: 100 ISO Max: 12800 Image Format: JPEG RAW Sensor Type: CMOS Sensor Size: 23.2 x 15.4mm Video Res.: Full HD Video Format: MPEG-4, H.264 Shutter: 1/4000s Auto Focus Lens Mount: F Touch Screen Viewfinder: Optical Connectivity: Bluetooth, HDMI, USB, NFC, Wi-Fi	2	40,000.00	80,000.00	
piece s	Lapel Wireless Microphone for DSLR Communication System: Bluetooth Standard Ver. 3.0 Communication Distance: Approx. 164 feet Continued Use: Approx. 3 hours or more Earphone Jack: 3.5mm mini-jack Clip: Yes Sound Function: Mixing (mono and stereo, mono and mono),	5	10,000.00	50,000.00	

SoundDelaySuppressive function, Eco Cancellation, Poppingsound cancellation, Poppingsound cancellation, Poppingsound cancellationSound Input:Monaural input via microphone, stereo incrybine Audio Interface:Stereo incrybine Audio Interface:213,995.0027,990.00unitHeavy Duty Video Camcorder audio input; Analogue audio output213,995.0027,990.00unitHeavy Duty Video Camcorder Adjustable Height:213,995.0027,990.00Bowl Diameter:75mm Fold Height:80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height:29,990.0019,980.00UnitVideo Tripod Stetions: 3 Foot Tube Diameter:29,990.0019,980.00UnitVideo Tripod Stetions: 3 Foot Tube Diameter:29,990.0019,980.00UnitVideo Tripod Stetions: 3 Card UHS class 3 1286B C10, UHS Class 3 1286B C10, UHS 1, 140MB/sk, 4x6, 1072890.0010,680.00UnitHeight:800,01148,500.00148,500.00148,500.00UnitHitter Type: Frinter Type: Frint Direction:Hours:Holf elevel al and Rubber Feet, Padded Carrying Case349,500.00148,500.00UnitHitter Type: Frinter Type: Frint Direction:Hours:Holf elevel al with ADF Frinter Type: Frint Direction:Hours:Holf elevel al with ADF349,500.00148,500.00UnitHitter Type: Frinter Type: Frint349,500.00148,500.00Hitting Hourse: Houring Techn						
function, Eco Cancellation, Popping sound cancellation     Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone Audio Interface: Stereo/dual- mono audio codec, analogue audio input, Analogue audio output     13,995.00     27,990.00       unit     Heavy Duty Video Camcorder Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black)     2     13,995.00     27,990.00       Tripod Material: aluminum alloy Bowl Diameter: 75mm     2     13,995.00     27,990.00       Bitti Stoomm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm     2     9,990.00     19,980.00       unit     Video Tripod Kitt 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case     2     890.00     10,680.00       Unit     AS Tank Printer Printer Type: Print, Scan, Copy, Fax with ADF     3     49,500.00     148,500.00       Unit     AS Tank Printer Printer Type: Print, Scan, Copy, Fax with ADF     3     49,500.00     148,500.00		Sound Delay Suppressive				
Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone Audio Interface: Stereo/Aual- mono audio codec, analogue audio input, Analogue audio output unit Heavy Duty Video Camcorder Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Pold Height: 80-160 cm (black) Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Poot Tube Diameter: 14-18mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Poot Tube Diameter: 14-18mm Unfolder Height: 160mm Load: 10kg Gimbal Type: Advantic damping gimbal head No. of Tripod Sections: 3 Poot Tube Diameter: 14-18mm Unit 11 Ib/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.0° Theight Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Fins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case Piece Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 107 Unit A3 Tank Printer Printer Type: Print, Scan, Copy, Fax with ADP Printing Technology: Print Direction:Bi-directional printing Technology: Print Direction:Bi-directional printing Technology: Print Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up						
cancellation       A.         Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone Audio interface: Stereo/dual- mono audio code, analogue audio input, Analogue audio output       13,995.00       27,990.00         unit       Heavy Duty Video Cancorder Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black)       2       13,995.00       27,990.00         Tripod Material: aluminum alloy Bowh Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal       2       9,990.00       19,980.00         unit       Video Tripod Kit 11 b/5 kg Video Head Payload capacity, sliding balance plate, 34 4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, padded Carrying Case       2       990.00       10,680.00         Unit       A3 Tank Printer Printer Type: Printer Type: Printer Type: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 25 K 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 X 2400 Attomatic 2-sided Printing:Yees (up       3       49,500.00       148,500.00						
microphone, stereo input via External ME-1 stereo microphone Audio Interface: Stereo /utal- mono audio code, analogue audio input, Analogue audio output13,995.0027,990.00unitHeary Duty Video Camcorder Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm29,990.0019,980.00unitVideo Tripod Kit Thora, 2 x Retracting Locating Pins on Plate, 60mm leveling ball. 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Splixed Feet and Rubber Feet, Padded Carrying Case9,990.0019,980.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Utra SDXC, SDUBB 128 CB, C10, UHS 1, 140MB/sR, 4x6, 10V12890.0010,680.00UnitA3 Tank Printer Printer Type: Print, Scan, Copy, Fax with ADP Printing Technology: Printing Technology: Print Dimetion:800 x 1 nozels Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing;Yes (up349,500.00148,500.00						
microphone, stereo input via External ME-1 stereo microphone Audio Interface: Stereo /utal- mono audio code, analogue audio input, Analogue audio output13,995.0027,990.00unitHeary Duty Video Camcorder Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm29,990.0019,980.00unitVideo Tripod Kit Thora, 2 x Retracting Locating Pins on Plate, 60mm leveling ball. 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Splixed Feet and Rubber Feet, Padded Carrying Case9,990.0019,980.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Utra SDXC, SDUBB 128 CB, C10, UHS 1, 140MB/sR, 4x6, 10V12890.0010,680.00UnitA3 Tank Printer Printer Type: Print, Scan, Copy, Fax with ADP Printing Technology: Printing Technology: Print Dimetion:800 x 1 nozels Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing;Yes (up349,500.00148,500.00		Sound Input: Monaural input via				
External ME-1 stereo microphone Audio Interface: Stereo/dual- mono audio codec, analogue audio input, Analogue audio output       2       13,995.00       27,990.00         unit       Heavy Duty Video Camcorder Aljustable Height: 80-160 cm (black)       2       13,995.00       27,990.00         Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg       2       9,990.00       19,980.00         unit       Video Tripod Kit       2       9,990.00       19,980.00         Unit       Matsuber						
Audio Interface: Stereo/dual- mono audio codec, analogue audio input, Analogue audio output13,995.0027,990.00unitHeavy Duty Video Camcorder Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm29,990.0019,980.00unitVideo Tripod Kit Hold Fright Range, Continuous Plan drag/Fixed Til b/5 kg Video Head Payload capacity, siding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Til brag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case2890.0010,680.00PieceSD Card UHS Class 3 128GB Sdsdunb 128G-GN6IN-class 10 Utra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10V349,500.00148,500.00UnitA3 Tank Printer Printer Type: Printer Type: <b< th=""><th></th><th>1 · · ·</th><th></th><th></th><th></th><th>   </th></b<>		1 · · ·				
mono audio codec, analogue audio input, Analogue audio in		-				
audio input, Analogue audio outputImage: constraint of the second secon		•				
output       Imit       Heavy Duty Video Camcorder Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm       2       9,990.00       19,980.00         unit       11 b/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Pland drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Splied Feet and Rubber Feet, Padded Carrying Case       12       890.00       10,680.00         piece       SD Card UHS Class 128GB Sddunb-128G-GNGIN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/SR, 4x6, 100Y       3       49,500.00       148,500.00         Unit       AT Tank Printer Printing Technology: Printer Type: Printer Type: Retractional printing Nozale Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Vellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up       3       49,500.00       148,500.00						
unit Heavy Duty Video Camcorder Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm Unit <b>Video Tripod Kit</b> 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case Piece <b>SD Card UHS Class 3 128GB</b> Sidsdurb-128G-GNGIN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y Unit <b>A3 Tank Printer</b> Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Printing						
Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm       2       9,990.00       19,980.00         unit       Video Tripod Kit 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spikke Feet and Rubber Feet, Padded Carrying Case       12       890.00       10,680.00         piece       SD Card UHS Class 3 128GB Sdsdumb-128G-GNGIN-class 10 Ultra SDXC, SDUNB 128 GB, C10Y       12       890.00       10,680.00         unit       A3 Tank Printer Printer Type: Printer Type: Pri	unit		2	13,995.00	27,990.00	
Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm29,990.0019,980.00unitVideo Tripod Kit 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0010,680.00pieceSD Card UHS Class 3 128GB Sdsdumb-128G-GNGIN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10712890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type: Print, Scan, Copy, Fax with ADP Printing Technology: Printing Rosolution:#800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:#800 x 2400 dpi349,500.00148,500.00	-			,	, -	
CameraAdjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mmunitVideo Tripod Kit 11b/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case29,990.0019,980.00pieceSD Card UHS Class 3 128GB Sdsdumb-128G-GNGIN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA Tank Printer Printer Type: Printer Solution:H800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Mazimum Resolution:4800 x 2400 dpi148,500.00		· -				
(black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Kit2unitVideo Tripod Kit capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0019,980.00PieceSD Card UHS Class 3 128GB Sd Sdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Vyan, Magenta, Yelow) Maximum Resolution:4800 x 2400 dpi148,500.00		-				
(black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Kit2unitVideo Tripod Kit capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0019,980.00PieceSD Card UHS Class 3 128GB Sd Sdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Vyan, Magenta, Yelow) Maximum Resolution:4800 x 2400 dpi148,500.00						
Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm2unitVideo Tripod Kit 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag. 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0010,680.00PieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printing Technology: Printing Time Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Vyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi349,500.00148,500.00						
Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm9,990.00unitVideo Tripod Kit Video Tripod Sections: 3 Foot Tube Diameter: 14-18mm29,990.00unitVideo Tripod Kit Pinter Pinter, state state State state state Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Print Direction:Bi-directional printing Rvazie Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi349,500.00148,500.00						
Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic 						
Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mm9,990.00unitVideo Tripod Kit 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6' Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mil-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case29,990.0019,980.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type: Print Direction:Bi-directional printing Robustion:Bod x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00						
Load: 10kg GimbalType: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mmunitVideo Tripod Kit capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case29,990.0019,980.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi349,500.00148,500.00		0				
GimbalType: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mmunitVideo Tripod Kit 11 lb/S kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0019,980.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00						
damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mmunitVideo Tripod Kit 2 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case9,990.0019,980.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Urta SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Print Direction:Bi-directional printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing?Yes (up349,500.00		0				
No. of Tripod Sections: 3 Foot Tube Diameter: 14-18mmunitVideo Tripod Kitunit29,990.0019,980.0011 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying CasepieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12UnitA3 Tank Printer Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing;Yes (up3		51 5				
Foot Tube Diameter: 14-18mmunitVideo Tripod Kit211 lb/5 kg Video Head Payload211 lb/5 kg Video Head Payload234.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case9,990.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12UnitA3 Tank Printer Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Printing Technology: Pri						
unitVideo Tripod Kit 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case29,990.0019,980.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printing Technology: Printing Technology: Printing Technology: Printing Technology: Printing Technology: Printing Technology: Printing Rechnology: Printing Rechnology: Printing Technology: Printing Techno		-				
11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12piece <b>SD Card UHS Class 3 128GB</b> Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12Unit <b>A3 Tank Printer</b> Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer SD Canfiguration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up3	•.			0.000.00	10.000.00	
capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0010,680.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type: Printer Type: Printer Type: Printer SD Cardiguration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00	unit		2	9,990.00	19,980.00	
34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case       12       890.00       10,680.00         piece       SD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y       12       890.00       10,680.00         Unit       A3 Tank Printer Printer Type: Printer Type: Printer Type: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing;Yes (up       3       49,500.00       148,500.00						
Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case890.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing;Yes (up3						
Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0010,680.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type: Printer Type: Printer Direction:Bi-directional printing Nozzle Configuration:B00 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00148,500.00						
Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case890.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printing Technology: Printing Technology: 		0,				
leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case890.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printing Technology: Printing Technology: Printing Technology: Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up49,500.00148,500.00						
<ul> <li>with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case</li> <li>piece</li> <li><b>SD Card UHS Class 3 128GB</b> Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y</li> <li>Unit</li> <li><b>A3 Tank Printer</b> Printer Type: <b>Printer Type:</b> <b>Printer Type:</b>Print, Scan, Copy, Fax with ADF Printing Technology: <b>Print Direction:</b>Bi-directional printing <b>Nozzle Configuration:</b>800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) <b>Maximum Resolution:</b>4800 x 2400 dpi <b>Automatic 2-sided Printing:</b>Yes (up</li> </ul>						
Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0010,680.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00148,500.00						
Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case12890.0010,680.00pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type: Printer Type: 						
and Rubber Feet, Padded Carrying Caseand Rubber Feet, Padded Carrying Caseand Rubber Feet, Padded Carrying CasepieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Printing Technology: Printing Technology: Printing Resolution:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00148,500.00		Independent Twist-Lock Leg				
Carrying CaseImage: Carrying CaseImage: Carrying CaseImage: Carrying CaseImage: Carrying CasepieceSD Card UHS Class 3 128GB12890.0010,680.00Sdsdunb-128G-GN6IN-class 10Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10YImage: Carrying Case10UnitA3 Tank Printer Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles print; 4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00		Adjustment, Dual Spiked Feet				
Carrying CaseImage: Carrying CaseImage: Carrying CaseImage: Carrying CaseImage: Carrying CasepieceSD Card UHS Class 3 128GB12890.0010,680.00Sdsdunb-128G-GN6IN-class 10Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10YImage: Carrying Case10UnitA3 Tank Printer Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles print; 4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00						
pieceSD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y12890.0010,680.00UnitA3 Tank Printer Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up12890.0010,680.0010,680.0010,680.0010,680.0010,680.0010,680.00		,				
Sdsdunb-128G-GN6IN-class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y49,500.00UnitA3 Tank Printer Printer Type: Printer Type: Printing Technology: Printing Technology: Printing Nozzle Configuration:Bi-directional printing Nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up49,500.00	piece		12	890.00	10,680.00	
Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y49,500.00UnitA3 Tank Printer Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Printing Technology: Printing Technology: Printing Technology: Printing Technology: Nozzle Configuration:Bi-directional printing Nozzle SBlack, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up49,500.00	±	Sdsdunb-128G-GN6IN-class 10			, -	
C10, UHS 1, 140MB/sR, 4x6, 10Y3UnitA3 Tank Printer Printer Type: Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print349,500.00PrintDirection:Bi-directional printing Nozzle148,500.00NozzleConfiguration:Bi-directional printing Nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up49,500.00						
10Y10YUnitA3 Tank Printer Printer Type: Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00148,500.00						
UnitA3 Tank Printer Printer Type: Printer Type: Printer Type:Print, Scan, Copy, Fax with ADF Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up349,500.00148,500.00						
Printer Type: <b>Printer Type</b> :Print, Scan, Copy, Fax with ADF Printing Technology: <b>Print Direction</b> :Bi-directional printing <b>Nozzle Configuration</b> :800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) <b>Maximum Resolution</b> :4800 x 2400 dpi <b>Automatic 2-sided Printing</b> :Yes (up	Unit		3	49 500 00	148 500 00	
Printer Type:Print, Scan, Copy, Fax         with ADF         Printing Technology:         Print       Direction:Bi-directional         printing         Nozzle       Configuration:800 x 1         nozzles       Black, 256 x 1 nozzles per         colour (Cyan, Magenta, Yellow)         Maximum Resolution:4800 x 2400         dpi         Automatic 2-sided Printing:Yes (up	om			19,000.00	110,000.00	
<pre>with ADF Printing Technology: Print Direction:Bi-directional printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up</pre>						
Print       Direction:Bi-directional printing         Nozzle       Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow)         Maximum Resolution:4800 x 2400 dpi         Automatic 2-sided Printing:Yes (up						
printing Nozzle Configuration:800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up		Printing Technology:				
Nozzle       Configuration:800 x 1         nozzles       Black, 256 x 1 nozzles per         colour (Cyan, Magenta, Yellow)         Maximum Resolution:4800 x 2400         dpi         Automatic 2-sided Printing:Yes (up						
nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up						
colour (Cyan, Magenta, Yellow) <b>Maximum Resolution:</b> 4800 x 2400 dpi <b>Automatic 2-sided Printing:</b> Yes (up						
Maximum Resolution:4800 x 2400 dpi Automatic 2-sided Printing:Yes (up						
dpi Automatic 2-sided Printing:Yes (up						
Automatic 2-sided Printing:Yes (up						

Print Speed:	
Photo Default - $10 \times 15 \text{ cm} / 4 \times 6$	
" *1:Approx. 43 sec per photo (Border)	
/ 52 sec per photo (Borderless)*2	
Draft, A4 (Black / Colour):Up to 32.0	
ppm / 22.0 ppm *2	
ISO 24734, A4 Simplex (Black /	
<b>Colour):</b> Up to 25.0 ipm / 12.0 ipm *2	
ISO 24734, A4 Duplex (Black /	
<b>Colour):</b> Up to 16.0 ipm / 9.0 ipm *2	
ISO 24734, A3 Simplex (Black /	
<b>Colour):</b> Up to 13.5 ipm / 6.0 ipm *2	
ISO 24734, A3 Duplex (Black /	
<b>Colour):</b> Up to 10.0 ipm / 5.0 ipm *2	
Copy Function:	
Reduction / Enlargement:25 - 400%	
Maximum Copy Size:A3	
Copy Resolution:600 x 600 dpi	
Max Copies:999 copies	
ADF Specifications:	
Support Paper Thickness:64-95	
g/m <sup>2</sup>	
Paper Capacity:50 sheets	
Paper Handling:	
Number of Paper Trays:3 (Front 2,	
Rear 1)	
Standard Paper Input	
Capacity:Cassette 1: 250 sheets for	
A4 Plain paper $(80g/m^2)$	
50 sheets for Premium Glossy Photo	
Paper	
Cassette 2: 250 sheets for A4 Plain	
paper $(80   g/m^2)$	
Rear Slot: 50 sheets for A4 Plain	
paper (80 g/m <sup>2</sup> ), 20 sheets for	
Premium Glossy Photo Paper	
Output Capacity:125 sheets for A4	
Plain paper (80 g/m <sup>2</sup> ), 20 sheets for	
Premium Glossy Photo Paper	
Maximum Paper Size:329 x 6000	
mm	
<b>Paper Sizes:</b> A3, Super B (13 x 19"),	
Indian Legal, Letter, A4, 16K (195 x	
270mm), 8K (270 x 390mm),	
Executive (7.25 x 10.5"), B4, B5, A5,	
B6, A6, 8.5 x 13", 5 x 7", 4 x 6", 8 x	
10", Legal (8.5 x 14"), 16:9 wide,	
Envelopes: #10, DL, C6, C4	
Paper Feed Method:Friction feed	
<b>Print Margin:</b> 3mm top, left, right,	
bottom via custom settings in printer	
driver	
Supported OS and Applications:	
Windows XP / Vista / 7 / 8 / 8.1 /	
10, Windows Server 2003 / 2008 /	
2012 / 2016 / 2019 Mac OS X 10.6.8	
or later	
Interface:	
<b>USB:</b> USB 2.0	
Network:Ethernet, Wi-Fi IEEE	
<b>Network:</b> Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct	
Network:Ethernet, Wi-Fi IEEE	
<b>Network:</b> Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct	
Network:Ethernet,Wi-FiIEEE802.11 b/g/n, Wi-Fi DirectNetworkProtocol:TCP/IPv4,	

	BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD			
ream	A3 Book Paper 80 gsm Substance 24	30	480.00	14,400.00
piece	<b>1TB External Storage Device</b> with shock-absorbing silicon case	35	3,500.00	122,500.00
Cartrid ge	Brother LC462BK Ink	100	750.00	75,000.00
Cartrid ge	Brother LC462C Ink	20	750.00	15,000.00
Cartrid ge	Brother LC462Y Ink	20	750.00	15,000.00
Cartrid ge	Brother LC462M Ink	20	750.00	15,000.00
piece	Heavy Duty Long Arm Stapler #35, 24/6-26/6 Loading Cap.: 100 Staples Stapling Cap.: 30 sheets	10	590.00	5,900.00

## **Technical Specifications**

Item		SpecificationStateCom				
1 Lot	Supplie Radio-J	and Delivery of Learning Res es and Equipment for the Deve Based Lessons, Video Lessons, int Materials (Rebid)	[Bidders must state here either "Comply" or "Not Comply"			
	UoM	Description	Quantity	against each of the individual parameters		
	Unit	Graphic Tablet Specifications: • 18.77 x 10.56" Active Area or higher • 22" Full HD 1920 x 1080 IPS Display • 250 cd/m <sup>2</sup> Brightness • 178° Viewing Angles • 1200:1 Contrast Ratio • 16.7 Million Colors or higher • Stylus with 8192 Pressure Levels • USB Type-C Video Interface	30	of each Specificatio stating th corresponding performance parameter of the equipmer offered. Statements of "Comply" or "No Comply" must b supported by evidence in a Bidders Bid an cross-referenced to the evidence. Evidence shall be in the form of		
	Unit	<ul> <li>Laptop Specifications:</li> <li>Processor: 8M Cache, up to 4.2 GHz, 4 cores</li> <li>Memory: 8GB DDR4 on board, 16GB, Memory Max Up to 16GB</li> <li>Monitor: 14.06" FHD</li> <li>Resolution: FHD 1920 x 1080 16:9, TN Anti-glare display, LED Backlit, 220nits</li> <li>Weight: 1.50 Kg</li> <li>Storage: 256GB + 1TB 54R+FTPM</li> <li>Audio: Built-in Speaker, 3.5mm Audio Jack</li> <li>Camera: 720p HD</li> <li>Connectivity: Wi-Fi 5(802.11ac) (Dual Band) 2*2 + Bluetooth 5.1 Wireless Card</li> <li>Ports: 1 x 3.5mm Combo Audio Jack, 1 x USB 3.2 Gen 1 Type-C, 2 x USB 2.0 Type-A, 1 x DC-in, 1</li> </ul>	17	manufacturer'sun- amendedsalesamendedsalesliterature,unconditionalstatementsofspecificationandcomplianceissuedbythemanufacturer,samples,independenttestdataetc.,appropriate.Astatementthat is notsupportedby evidenceor is subsequently foundto be contradicted bythe evidence presentedwill render the Bidunder evaluation liableforforrejection.Astatement either in the Bidder's statement of complianceorthat is found to be false		

	Micro SD Card Reader + SIM Card Slot • Keyboard: Chiclet Keyboard, 1.4mm Key- travel • OS: Windows 11 Pro 64Bit Inclusion: • Microsoft Office Apps (Word, Excel, PowerPoint) • Charger • Mouse		evaluation, post- qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
Unit	<ul> <li>Bag</li> <li>Portable Speaker</li> <li>Amplifier – 2.1 Channels or more 200 Watts RMS</li> <li>Connections – USB, Bluetooth (ver. 5.1), 2 or more Microphone Input (6.3mm)</li> <li>Playable File Format – MP3, WMA</li> <li>Battery – Capacity of 88Wh, Charging Time of 3.5Hr and with Life of 18Hrs</li> <li>With Telescopic Handle and Wheels</li> </ul>	2	
Unit	Video Camera Effective Pixels: 24.2MP ISO Min: 100 ISO Max: 12800 Image Format: JPEG RAW Sensor Type: CMOS Sensor Size: 23.2 x 15.4mm Video Res.: Full HD Video Format: MPEG-4, H.264 Shutter: 1/4000s Auto Focus Lens Mount: F Touch Screen Viewfinder: Optical Connectivity: Bluetooth, HDMI, USB, NFC, Wi-Fi	2	
piec es	LapelWirelessMicrophone for DSLRCommunicationSystem:Bluetooth Standard Ver. 3.0CommunicationDistance:Approx. 164 feetContinuedUse:Approx. 3hours or moreEarphoneJack:3.5mmmini-jackClip:Yes	5	

		Sound Function: Mixing (mono and stereo, mono and mono), Sound Delay Suppressive function, Eco Cancellation, Noise Cancellation, Popping sound cancellation Sound Input: Monaural input via microphone, stereo input via External ME-1 stereo microphone Audio Interface: Stereo/dual-mono audio codec, analogue audio input, Analogue audio		
		output		
	unit	Heavy Duty Video Camcorder Aluminum Alloy tripod with Fluid Drag Head for DSLR/SLR Camera Adjustable Height: 80-160 cm (black) Tripod Material: aluminum alloy Bowl Diameter: 75mm Fold Height: 800mm Unfolding Height: 160mm Load: 10kg Gimbal Type: Hydraulic damping gimbal head No. of Tripod Sections: 3 Foot Tube Diameter: 14- 18mm	2	
-	•.			
	unit	Video Tripod Kit 11 lb/5 kg Video Head Payload capacity, sliding balance plate, 34.4 to 72.6" Height Range, Continuous Plan drag/Fixed Tilt Drag, 2 x Retracting Locating Pins on Plate, 60mm leveling ball, 2-stage tripod with mid-level spreader, Independent Twist-Lock Leg Adjustment, Dual Spiked Feet and Rubber Feet, Padded Carrying Case	2	
	piec e	SD Card UHS Class 3 128GB Sdsdunb-128G-GN6IN- class 10 Ultra SDXC, SDUNB 128 GB, C10, UHS 1, 140MB/sR, 4x6, 10Y	12	

Unit	A3 Tank Printer	3	
Omt	Printer Type:	0	
	<b>Printer Type:</b> Print, Scan,		
	Copy, Fax with ADF		
	Printing Technology:		
	Print Direction:Bi-directional		
	printing		
	Nozzle Configuration:800 x 1		
	nozzles Black, 256 x 1 nozzles		
	per colour (Cyan, Magenta, Yellow)		
	Maximum Resolution:4800 x		
	2400 dpi		
	Automatic 2-sided		
	Printing:Yes (up to A3)		
	Print Speed:		
	Photo Default - 10 x 15 cm /		
	<b>4 x 6</b> " *1:Approx. 43 sec per		
	photo (Border) / 52 sec per		
	photo (Borderless)* <sup>2</sup>		
	<b>Draft, A4 (Black / Colour):</b> Up to 32.0 ppm / 22.0 ppm *2		
	<b>ISO 24734, A4 Simplex (Black</b>		
	/ Colour):Up to 25.0 ipm / 12.0		
	ipm *2		
	ISO 24734, A4 Duplex (Black		
	/ Colour):Up to 16.0 ipm / 9.0		
	ipm *2		
	ISO 24734, A3 Simplex (Black		
	/ <b>Colour):</b> Up to 13.5 ipm / 6.0		
	ipm *2		
	<b>ISO 24734, A3 Duplex (Black</b> / <b>Colour):</b> Up to 10.0 ipm / 5.0		
	j = 100000000000000000000000000000000000		
	Copy Function:		
	<b>Reduction / Enlargement:</b> 25 -		
	400%		
	Maximum Copy Size:A3		
	Copy Resolution:600 x 600 dpi		
	Max Copies:999 copies		
	ADF Specifications:		
	<b>Support Paper Thickness:</b> 64- 95 g/m <sup>2</sup>		
	<b>Paper Capacity:</b> 50 sheets		
	Paper Handling:		
	Number of Paper Trays:3		
	(Front 2, Rear 1)		
	Standard Paper Input		
	Capacity:Cassette 1: 250		
	sheets for A4 Plain paper		
	$(80g/m^2)$		
	50 sheets for Premium Glossy Photo Paper		
	Cassette 2: 250 sheets for A4		
	Plain paper $(80 \text{ g/m}^2)$		
	Rear Slot: 50 sheets for A4 Plain		
	paper (80 g/m <sup>2</sup> ), 20 sheets for		
	Premium Glossy Photo Paper		
	Output Capacity:125 sheets		
	for A4 Plain paper ( $80 \text{ g/m}^2$ ), 20		
	sheets for Premium Glossy		
	Photo Paper		
	Maximum Paper Size:329 x		
	6000 mm		

	<b>Paper Sizes:</b> A3, Super B (13 x		
	19"), Indian Legal, Letter, A4,		
	16K (195 x 270mm), 8K (270 x		
	390 mm), Executive (7.25 x		
	10.5"), B4, B5, A5, B6, A6, 8.5		
	x 13", 5 x 7", 4 x 6", 8 x 10",		
	Legal (8.5 x 14"), 16:9 wide,		
	Envelopes: #10, DL, C6, C4		
	Paper Feed Method:Friction		
	feed		
	<b>Print Margin:</b> 3mm top, left,		
	right, bottom via custom settings in printer driver		
	11		
	Applications: Windows XP /		
	Vista / 7 / 8 / 8.1 / 10,		
	Windows Server 2003 / 2008 /		
	2012 / 2016 / 2019 Mac OS X		
	10.6.8 or later		
	Interface:		
	USB:USB 2.0		
	<b>Network:</b> Ethernet, Wi-Fi IEEE		
	802.11 b/g/n, Wi-Fi Direct		
	<b>Network Protocol:</b> TCP/IPv4,		
	TCP/IPv6		
	Network Management		
	<b>Protocols:</b> SNMP, HTTP,		
	DHCP, BOOTP, APIPA, PING,		
	DDNS, mDNS, SNTP, SLP,		
	WSD, LLTD		
rea	A3 Book Paper 80 gsm	30	
m	Substance 24		
nico	1TB External Storage	35	
piec		55	
e	<b>Device</b> with shock-		
	absorbing silicon case		
Cartri dge	Brother LC462BK Ink	100	
O a st i			
Cartri	Brother LC462C Ink	20	
dge			
Cartri	Brother LC462Y Ink	20	
dge		40	
Cartri	Brother LC462M Ink	20	
dge		20	
•	II	10	
piec	Heavy Duty Long Arm	10	
е	<b>Stapler</b> #35, 24/6-26/6		
•	Loading Cap.: 100 Staples		
°,	Dodding Cap., 100 Stapies		

# Section VIII. Checklist of Technical and Financial Documents

## Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

## **Checklist of Technical and Financial Documents**

## I. TECHNICAL COMPONENT ENVELOPE

### Class "A" Documents

#### Legal Documents

## □ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

#### Technical Documents

- □ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
- □ (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- □ (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> Original copy of Notarized Bid Securing Declaration; <u>and</u>
- □ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- □ (f) Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

□ (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### Class "B" Documents

 $\Box$  (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

#### **II. FINANCIAL COMPONENT ENVELOPE**

- $\Box$  (i) Original of duly signed and accomplished Financial Bid Form; <u>and</u>
- $\Box$  (j) Original of duly signed and accomplished Price Schedule(s).

### Other documentary requirements under RA No. 9184 (as applicable)

□ (k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in

government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic  $\Box$  (1) Bidder or Domestic Entity.

## **Bidding Forms**

#### **Contract Agreement Form for the Procurement of Goods (Revised)**

[Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

#### **CONTRACT AGREEMENT**

THIS AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz*.:
  - i. Philippine Bidding Documents (PBDs);
    - i. Schedule of Requirements;
    - ii. Technical Specifications;
    - iii. General and Special Conditions of Contract; and
    - iv. Supplemental or Bid Bulletins, if any
  - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning bidder agrees that</u> <u>additional contract documents or information prescribed by the GPPB</u> <u>that are subsequently required for submission after the contract</u> <u>execution, such as the Notice to Proceed, Variation Orders, and</u> <u>Warranty Security, shall likewise form part of the Contract.</u>

- 3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
- 4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]	[Insert Name and Signature]
[Insert Signatory's Legal Capacity]	[Insert Signatory's Legal Capacity]
for:	for:
[Insert Procuring Entity]	[Insert Name of Supplier]

#### Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

#### **Performance Securing Declaration (Revised)**

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

#### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years <u>for the second offense</u>, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF,** I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

#### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[*If a partnership, corporation, cooperative, or joint venture:*] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[*If a sole proprietorship:*] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a partnership or cooperative:*] None of the officers and members of [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a corporation or joint venture:*] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. <u>In case advance payment was made or given, failure to perform or deliver any of the</u> obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
- **IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_\_ at \_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant [Jurat] [Format shall be based on the latest Rules on Notarial Practice]

## Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

#### For Goods Offered from Within the Philippines

Name of Bidder Project ID No							Page	_of	
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8 )	Total Price delivered Final Destination (col 9) x (col 4)

Name: \_\_\_\_\_

Legal	Capacity:	

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

#### **Bid Form for the Procurement of Goods**

[shall be submitted with the Bid]

### **BID FORM**

Date : \_\_\_\_\_ Project Identification No. : \_\_\_\_\_

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform] [description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

#### [Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of of agentCurrencyCommission or gratuity

(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

REPUBLIC OF THE PHILIPPINES) CITY OF \_\_\_\_\_\_) S.S.

### **BID SECURING DECLARATION Project Identification No.:** *[Insert number]*

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[*Jurat*] [Format shall be based on the latest Rules on Notarial Practice]

